







DESIGNED BY	JPP
DRAWN BY	CJB
CHECKED BY	YTN
DATE:	11-22-17
JOB NO.	14170.02

COLORADO MOUNTA COLLEGE: DILLON CAMPUS
 333 FIEDLER AVENUE
 DILLON, COLORADO
 FOR CONSTRUCTION

- ADA IMPROVEMENTS NOTE:**
- ACCESSIBLE PEDESTRIAN ROUTES SHALL COMPLY WITH THE 2009 ICC A117.1 AND 2017 IBC CODE REQUIREMENTS.
 - THE PUBLIC PEDESTRIAN AREAS HAVE BEEN DESIGNED PER THE AMERICAN'S WITH DISABILITIES ACT (ADA) STANDARDS. THE MAIN PEDESTRIAN CORRIDORS HAVE BEEN DESIGNED WITH A MAXIMUM CROSS SLOPE OF 2%, THE CONTINUOUS LONGITUDINAL SLOPES ARE ALL LESS THAN THE MAXIMUM 5% SLOPE. HANDICAP RAMPS SHALL BE CONSTRUCTED PER ADA AND CDOT M&S STANDARD DETAILS.



DATE	REVISION

TITLE
ADA IMPROVEMENTS PLAN

DRAWING NO.
C2

